



CHENGALPATTU DISTRICT GAZETTE PUBLISHED BY AUTHORITY

132C

CHENGALPATTU, DECEMBER 3, 2021
Karthigai 17, Pilava, Thiruvalluvar Aandu-2052

[No. 7

CONTENTS

	Pages.
Judicial Notifications	21-24
Proceedings by the Collector	25-29

JUDICIAL NOTIFICATION

NOTIFICATION

(Dis.No. 2098/A/2021, Dated. 16.11.2021)

In exercise of the powers conferred by sub section (1) of Section 14 of the Code of Criminal Procedure, 1973 (Central Act 2 of 1974) and in supersession of all the previous notifications on the subject, the Chief Judicial Magistrate, Kancheepuram District @ Chengalpattu, hereby redefines the local areas in column (2) of the table below within which the Judicial Magistrates specified in column (1) of the table below may exercise all or any of the powers of the Magistrates of first class vested with them under the said code with effect from the date on which the District Munsif -cum- Judicial Magistrate, Sholinganallur assumes charge of that court.

Name of the Magistrate	Local limits of the areas (In terms of Police Station)
1	2
District Munsif -cum- Judicial Magistrate, Sholinganallur. (Proposed court)	1. Neelangarai Police Station 2. Semmancheri Police Station 3. Kanathur Police Station 4. Kannagi Nagar Police Station
Judicial Magistrate No.I, Alandur. (Existing court)	1. St. Thomas Mount Police station 2. Nandhambakkam Police station 3. Palavanthangal Police station 4. Meenambakkam Police station 5. Airport Police station 6. CCB Police station (In respect of cases arising out of territorial jurisdiction of regular police Station of Judicial Magistrate No.I and Judicial Magistrate No.II, Alandur) 7. Prohibition Enforcement Wing, St. Thomas Mount Police station (In respect of cases arising out of territorial jurisdiction of entire regular police stations of Judicial Magistrate No.I, Alandur and territorial jurisdiction of Madipakkam, Adambakkam, Pallikaranai and Perumbakkam police stations of Judicial Magistrate No.II, Alandur)


P. MARIAPPAN, B.E., MIE.,
Consulting Civil & Structural Engineer
Chartered Engineer
M-145851-5

No. 19/1, United India Nagar, 1st Main Road,
A32C/7-1(E), Chennai-600 093.
Ph : 26745050, Cell : 9447205750

PROCEEDINGS OF THE DISTRICT COLLECTOR, CHENGALPATTU DISTRICT**PRESENT: Thiru A.R. RAHUL NADH, I.A.S.,****(Rc.No.2530/2021/MI, Dt. 24.11.2021)**

SUB: Tamil Nadu Public Building (Licensing) Act 1965 and rules 1966—Chengalpattu District - Inclusion of Thiru P. Mariappan in the panel of private practicing Engineers under Class IA in Chengalpattu district- Orders issued.

READ:

1. Representation from Thiru P. Mariappan, No.19/1, United India Nagar, 1st Main Road, Ayanavaram, Chennai-23. Dated 16.02.2021.
2. This office Letter Rc No. 2530/2021/MI Dated 22.05.2021.
3. Superintending Engineer, P.W.D., Buildings (Construction and Maintenance) Circle, Chennai-5 Letter No. DB/DOI/FA-Panel of Engineers / 04M//2021 Dated 14.06.2021.
4. This office Letter Rc No.2530/2021/MI Dated 01.09.2021.
5. Engineer - in - Chief (Buildings) & Chief Engineer (Buildings), Public Works Department, letter No. AEE/T10/003943/2020, Dated: 20.10.2021.

ORDER:

In the reference 1st cited, one Thiru P. Mariappan, No.19/1, United India Nagar, 1st Main Road, Ayanavaram, Chennai-23 has applied for inclusion of his name in the panel of Private Practicing Engineer under Class IA category in Chengalpattu district in the prescribed format and the same was forwarded to the Superintending Engineer, P.W.D., Buildings (Construction and Maintenance) Circle, Chennai-5 for taking appropriate action vide this office reference 2nd cited.

In the reference 3rd cited, the Superintending Engineer, P.W.D., Buildings (Construction and Maintenance) Circle, Chennai-5 has recommended for inclusion of the name of Thiru P. Mariappan in the Panel of Private Practicing Engineers under Class IA in Chengalpattu district and the same was forwarded to the Engineer-in-Chief (Buildings) and Chief Engineer (Buildings), P.W.D., Chennai-5 vide this office reference 4th cited, for taking further action.

In the reference 5th cited, the Engineer-in-Chief (Buildings) & Chief Engineer (Buildings), Public Works Department, Chennai-5 has informed that the Board of Engineers in their 539th meeting held on 22.09.2021 have discussed the proposal of the petitioner and after elaborate deliberations, the Board has resolved to recommend the name of Thiru P. Mariappan, (D.O.B. 17.04.1967) residing at No. 19/1, United India Nagar, 1st Main Road, Ayanavaram, Chennai-23 for inclusion in the panel of private practicing Engineers under Class IA Category (Buildings, the cost of which exceeds Rs.50.00 lakhs as per G.O. Ms. No. 43, Municipal Administration and Water Supply (MA4), Department, dated 17.2.2011) in Chengalpattu district.

Based on the recommendation of the Engineer-in-Chief, (Buildings) and Chief Engineer (Buildings), Public Works Department, Chennai-5, it is hereby ordered that the name of Thiru P. Mariappan be included in the panel of private practicing Engineers under Class 1A Category (Buildings, the cost of which exceeds Rs.50.00 lakhs as per G.O. Ms. No. 43, Municipal Administration and Water Supply (MA4), Department, dated 17.2.2011) in Chengalpattu district.

Chengalpattu,
24th November 2021.

A.R. RAHUL NADH,
District Collector.



P. MARIAPPAN, B.E., MIE.,
Consulting Civil & Structural Engineer
Chartered Engineer
EE-145851-S

No. 19/1, United India Nagar, 1st Main Road,
Ayanavaram, Chennai-600 020.
P: 044 2745365. Cell: 9841206750

02.05.24

STATEMENT ACCOMPANYING FORM-A

1	Door No.of Building	No.8
2	Location (Street No. ward no, Name of the place, Corporation/ Municipality/ Panchayat Union/ Township/ Cantonment	SHIKSHAA PUBLIC SCHOOL Ponnamman kovil street, hasthinapuram pallavaram taluk, chengalpattu district-600064
3	Year of Construction	: Ground floor: RCC roof :2015 (9 years) first, second & third : RCC roof :2020 (4 years)
4	Approximate cost of construction	Rs.12,00,00,000
5	Purpose for which the Building is being used or Proposed to be used	: Education purpose (public school)
6	Purpose for which the Building has Hitherto been used	: Education purpose (public school)
7	Details of Constructions of the Building (Particulars) of the Foundation, Soil Specifications for various parts under	
	a) Foundation	: RCC Column, Isolated footing
	b) Basement	: RCC Column, plinth beam, Brick work in CM 1:5
	c) Super structure	: four storied RCC Framed structure with Brick panel walls in CM 1:5, Tile flooring
	d) Floor & Roof (Area to be given)	: Ground + 3 floor flooring : granite & ceramic tiles roof : RCC slab & RCC Beam
8	Period for which the license is required	04.05.2024 to 03.05.2027 (for three years only)
9	Number of persons to be accommodated	: 3000 Nos only

Signature of the Engineer



P. MARIAPPAN, B.E., M.I.E.,
Consulting Civil & Structural Engineer
Chartered Engineer
ID-148851-5

No. 19/1, United India Nagar, 1st Main Road,
Ayanavaram, Chennai-600 023.
Ph : 26745655, Cell : 9841295750

Signature of the owner of the building

#19/1, United India Nagar, 1st Main Road,
Ayanavaram, Chennai - 600 023.

Tel 044 - 2674 5655, 984129 6750 / 8754443798

Email : mrassociates.engineers@gmail.com

ermariappan67@gmail.com

www.mrassociates.co



ANNEXURE TO STATEMENT ACCOMPANYING FORM - "A"

Certified that no addition or alteration has been made to the existing building or Portion of the Building for this application has been made. I undertake to obtain a fresh License at addition or alteration is made to the existing building or portion of the Building. I also undertake to obtain fresh License if the purpose for which the License was granted for the use of Building or portion of the building originally is Changed or altered subsequently.

Certified that no thatched buildings are used for School building staying at premises. If any thatched buildings are constructed after issuing the License, we are Held responsible for any fire accident occurs later and that I / We are aware that our License will be cancelled.

Signature of the Owner of the Building

DECLARATION FORM - B

I certify that the School Building of **SHIKSHAA PUBLIC SCHOOL, D.No.8**

Ponnamman kovil street, hasthinapuram, pallavaram taluk, chengalpattu District -600064

was inspected on 02.05.2024 mentioned in the statement below. I have satisfied myself

that the building structurally sound to be used as a School Building for the purpose

noted in the statement . The structural Soundness of the Building verified taking

into the period from 04.05.2024 to 03.05.2027 (Three years)

Signature of the Engineer



P. MARIAPPAN, B.E., MIE.,
Consulting Civil & Structural Engineer
Chartered Engineer
M-145851-6

No. 19/1, United India Nagar, 1st Main Road,
Ayanavaram, Chennai-600 023.
Ph : 26745655, Cell : 9841296750

FORM C

**FORM OF CERTIFICATE OF STRUCTURAL SOUNDNESS UNDER SUB-SECTION (4) OF SECTION 4 OF THE
TAMILNADU PUBLIC BUILDING (LICENSING ACT 1965) (TAMILNADU ACT 1 OF 1965) REFERRED TO IN
RULE 4 OF THE TAMILNADU PUBLIC (LICENSING) RULES, 1966**

I Certify that I have inspected the Buildign mentioned in the statement and furnished Below its salient features.

1 Foundation

- | | |
|---|---------------|
| i) Depth below Ground level | : 2.13 m |
| ii) Nature of soil set out in the foundation level | Gravelly soil |
| iii) Pressure at foundaiton | : 12 T/sq m |
| iv) Probable safe bearing capacity of the strata
met with foundation | : 25 T / Sq m |

2 Super structure

- | | |
|---|-----------------------------------|
| i) Maximum stress in the most critical section of
the masonry & concrete | : 30 kg / sqcm
: 07 T / sqm |
| ii) Nature of masonry & concrete, safe
permissible stress | : 30 T / sqcm
: 40.00 kg /sqcm |

The Structural soundness of the Building has been verified by me with reference to ISI Loading standards 875 (Latest revision) and other relevant Indian Standard code of Practice and I declare that the Building is structurally sound to be used as a public Building for the Purpose of Noted in the statement. A License may be Granted for a period from 04.05.2024 to 03.05.2027 (three years)



P. MARIAPPAN, B.E., MIE.,
Consulting Civil & Structural Engineer
Chartered Engineer
M-145851-5

No. 19/1, United India Nagar, 1st Main Road,
Ayanavaram, Chennai-600 023.
Ph : 26745655, Cell : 9841296750

Date : 02.05.2024

**STATEMENT TO ACCOMPANY THE CERTIFICATE OF
STRUCTURAL SOUNDNESS**

Location of building Door no, street, name of the place	Age of the building	Value of building	no of stories	Short description of structures
1	2	3	4	5
SHIKSHAA PUBLIC SCHOOL, D.No.8 Ponnamman kovil street, hasthinapuram, pallavaram taluk, chengalpattu District -600064	ground floor RCC- 9years first,second,third RCC - 4 years	Rs.12,00,00,000	Ground + 3 floors	RCC Framed structure, with Brick work Tile flooring

Purpose for which the building is certified For use	Period for which the building will be structurally sound	No of persons to be accommodated	Remarks
6	7	8	9
education purpose (school building)	04.05.2024 to 03.05.2027 (Three years)	3000 Nos	The Building is structurally sound


P. MARIAPPAN, B.E., MIE.,
 Consulting Civil & Structural Engineer
 Chartered Engineer
 E-145851-5
 No. 19/1, United India Nagar, 1st Main Road,
 Ayanavaram, Chennai-600 023.
 Ph : 26745655, Cell : 9841296750

STRUCTURAL SOUNDNESS CERTIFICATE

DECLARATION

I, P.Mariappan, B.E., M.I.E son of Thiru. Pommaiah residing at No.19/1, United India Nagar, 1st Main Road, Ayanavaram, Chennai-23 do hereby declare that I possess the qualification and experience specified in the table Rule II of Tamil Nadu Public Buildings (Licensing Rules, 1966) for issuing the certificate of structural soundness of the building covered by the certificate.

I am an APPROVED & REGISTERED ENGINEER with the collector under "TamilNadu Public Buildings (Licensing) Act & Rule, 1966" to issue the structural stability certificates to public Buildings like School Building under reference.

- | | |
|-------------------------------|--|
| 1. Name in Block Letters | : P.MARIAPPAN |
| 2. Engineering Qualifications | : B.E., M.I.E |
| 3. No.of years of experience | : 35 years as Civil Engineer,
Approved Valuer,
Approved Engineer by the Board of Engineers,
PWD Govt. of Tamilnadu
Panel Engineer with the Collector |

Place : Chennai
Date : 02.05.2024



P. MARIAPPAN, B.E., M.I.E.,
Consulting Civil & Structural Engineer
Chartered Engineer
M-145851-5

No. 19/1, United India Nagar, 1st Main Road,
Ayanavaram, Chennai-600 023.
Ph : 26745655, Cell : 9841296750

SIGNATURE OF THE ENGINEER

Remarks :

1. No structures with inflammable roof must be allowed within Premises.
2. If repairs and renovations are not done once in 6 months, this certificate Will automatically be cancelled. Stagnation of Water, Trees & Cracks in the Building must be rectified before use of the building, if not this certificate will automatically be getting cancelled.
3. This certificate covers the above mentioned buildings only and does not Include any other structure or buildings within the premises for other purposes.
4. This certificate does not include the eventualities cause by natural calamities, Like high gale, earthquake, heavy rain, cyclone, lightening, floods, fire etc
5. If this certificate is tampered with illegally / unauthorized without the knowledge, Permission and signature of the undersigned, this certificate will automatically be getting cancelled.
6. This certificate does not conclude to any title dispute in respect of the property / building
7. The Owner is instructed to check the Roof materials, columns etc now and then, and if any material is damaged the same shall be replaced immediately, if not, this certificate will automatically be getting cancelled. Buildings are old and require constant vigil over them.
8. If additions or alterations shall be made without prior permission and signature of the undersigned this certificate will automatically, be getting cancelled.
9. This certificate has been issued only on Physical Inspection of the premises. Approval plan for the building has been produced during inspection.



P. MARIAPPAN, B.E., MIE.,
Consulting Civil & Structural Engineer
Chartered Engineer
M-145851-5

10/10/2018 United India Nagar, 1st Main Road,
Chennai-600 023.
Cell : 9841296750